

Lockheed Martin Corporation
Corporate Environment, Safety & Health
West Coast Projects Office
2550 North Hollywood Way, 3rd Floor, Burbank, CA 91505-1055
Facsimile 818-847-0256 or 818-847-0170

SFUND RECORDS CTR
SDMS# 66786

SFUND RECORDS CTR
2462-00212

LOCKHEED MARTIN



Via Airborne Express
CAY1199/412 WBS #48

November 16, 1999

Mr. Gerard J. Thibeault
Executive Officer
California Regional Water Quality Control Board
Santa Ana Region
3737 Main Street, Suite 500
Riverside, California 92501-3339


Dear Mr. Thibeault:

**Subject: October 1999 Data Report
 Water Supply Contingency Plan
 Production Well Sampling Program
 Crafton-Redlands Plume Project**

In compliance with the approved Water Supply Contingency Plan, enclosed please find one copy of the **October 1999, Production Well Sampling Program** report prepared by HSI-Geotrans for the Lockheed Martin Corporation. This report presents analytical results from samples collected at Bunker Hill Basin Production Wells in October of 1999. Level III Modified Laboratory Quality Assurance/Quality Control documentation is included in Attachment B of the report.

Should you have any questions, comments, or request, please contact Tom Blackman at (818) 847-0791 or John Hemmans at (818) 847-0191.

Sincerely,


Carol A. Yuge

Enclosures

CAY:JH:mg

cc: See Attached Distribution List

Gerard Thibeault
November 16, 1999
CAY1199/412
Page 2

Distribution:

cc: (Abbreviated Report Without Attachments "A & B" Which are Available Upon Request)
Kim Alexander, Psomas
Kalyanpur Baliga, Department of Health Services (San Bernardino)
Tom Bartol, USAF, Norton Air Force Base
Henry Dennis, Mountainview Power Company
Dodie Farmer, Victoria Farms Mutual Water Company
Douglas Headrick, San Bernardino Valley Water Conservation District
Mike Huffstutler, City of Redlands
Ross Lewis, Gage Canal Company
Kevin Mayer, US EPA (Region IX)
Steve Mains, Western Municipal Water District
Morris Matson, Loma Linda University
Eugene McMeans, Riverside Highland Water Company
Zahra Panahi, City of Riverside
Dan Randall, City of Riverside
Bob Reiter, San Bernardino Valley Municipal Water District
Toby Roy, Department of Health Services (San Diego)
Alain Sharp, Earth Technology Corporation
Greg Snyder, City of Loma Linda
Joseph Stejskal, City of San Bernardino
Dieter Wirtzfeld, City of Riverside



HSI GEOTRANS

A TETRA TECH COMPANY

66786
3150 Bristol Street
Suite 500
Costa Mesa, California
92626

714-513-1415 FAX 714-513-1278

November 22, 1999

Lockheed Martin Corporation
West Coast Project Office
2550 N. Hollywood Way, 3rd Floor
Burbank, California 91505

Attention: Mr. John Hemmans
Project Coordinator

Subject: October 1999 Data Report
Water Supply Contingency Plan
Production Well Sampling Program
Crafton-Redlands Plume Project

Dear Mr. Hemmans:

This report presents a summary of results of the Water Supply Contingency Plan production well sampling for the month of October 1999. The Water Supply Contingency Plan (WSCP) was prepared by Lockheed Martin Corporation and submitted to the State of California Regional Water Quality Control Board (RWQCB) Santa Ana Region on September 30, 1996. The plan was conditionally approved by the RWQCB in a letter dated March 6, 1997. The WSCP for the Crafton-Redlands Plume was prepared to address maintenance of water supply to purveyors in the event that wells became impacted with trichloroethene (TCE) from the Crafton-Redlands TCE Plume. A summary of key dates and WSCP sampling program evolution is provided on Table 1.

The locations of the WSCP wells and analytical results for the October 1999 sampling event for TCE and perchlorate are shown on Figures 1 and 2, respectively. Table 2 presents a summary of analytical tests performed on each WSCP well and water system sampling point. The sampling frequency of each well is once a month for the first year. More frequent sampling, if required, is based on the analytical results as outlined in the WSCP TCE and perchlorate decision matrices, provided as Figures 3 and 4, respectively. The perchlorate decision matrix was presented in the *Perchlorate Work Plan and Schedule*, which was submitted, to the RWQCB on August 15, 1997. The RWQCB approved the

Perchlorate Work Plan on October 31, 1997. Table 3 presents a summary of the wells sampled twice monthly according to the decision matrices.

RESULTS

A summary of the analytical results for the October 1999 WSCP sampling event for TCE and perchlorate is shown on Figures 1 and 2, respectively, and presented on Table 4. Available groundwater elevation data is provided on Table 5. The water sampling field forms are provided in Attachment A. Chain-of-custody, laboratory data sheets, and Level III Modified laboratory quality assurance/quality control (QA/QC) documentation is provided in Attachment B.

Trichloroethene

Three groundwater samples collected in October met or exceeded 2/5th the MCL for TCE (2.0 µg/L) including: Gage 26-1 (10 µg/L), Gage 27-1 (6.3 µg/L), and Gage 29-2 (4.0 µg/L). Gage 29-3 was off-line in October and thus was not sampled. Gage 26-1 and Gage 27-1 were placed into TCE treatment in May 1999, therefore they will be sampled once a month. The TCE impacts observed at Gage 29-2 and Gage 29-3 are partially attributed to the Norton AFB plume and partially attributed to the Crafton Redlands plume, thus Gage 29-2 and Gage 29-3 are sampled twice a month for TCE when active.

Perchlorate

In the October WSCP sampling, perchlorate was detected at or above 75 percent (13.5 µg/L) of the PAL in two wells including: Gage 29-2 (20 µg/L) and Gage 51-1 (15 µg/L). Gage 29-2, Gage 29-3, Gage 51-1, and City of Loma Linda Mountain View #2 wells are currently being sampled on a twice a month basis for perchlorate if active.


CLOSING

HSI GeoTrans greatly appreciates being of continued service to Lockheed Martin Corporation on this project. Should you have any questions or comments, please do not hesitate to call.

Sincerely,
HSI GEOTRANS



Roy J. Marroquin
Project Manager



James C. Norman, R.G., C.H.G.
Project Director

TABLES

TABLE 1

KEY PROJECT DATES AND WSCP SAMPLING PROGRAM EVOLUTION

August 2, 1996, the RWQCB – Santa Ana Region requested Lockheed Martin to submit a conceptual Water Supply Contingency Plan.
September 30, 1996, Lockheed Martin submitted the Water Supply Contingency Plan (WSCP) to the RWQCB – Santa Ana Region.
March 6, 1997, the RWQCB conditionally approved the WSCP, which included sampling eight production wells (City of Loma Linda Richardson #1, Richardson #2, Mountain View #1, Mountain View #2, Victoria Farms Mutual Water Company Wells #1 and #3, and Southern California Edison #1 and #2).
June 1997, Victoria Farms Mutual Water Company was connected to City of San Bernardino Water. Pumping ceased at VFMWC #1 and #3, and the two wells were removed from the program.
June 1997, sampling of SCE #1 was discontinued because it is not operated on a regular basis. The WSCP consists of five wells, including COLL Mountain View #1 and #2, COLL Richardson #1 and #2, and SCE #2 (AUX).
August 1997, the WSCP was expanded due to the detection of perchlorate in municipal supply wells in the Bunker Hill Basin. Twenty-six wells were added to the WSCP including nineteen City of Riverside wells, five City of Redlands wells, and two Loma Linda University wells, for a total of 31 wells.
October 1997, three City of Riverside water system sampling points were added to the WSCP, including the Gage system pipeline (Gage Delivery), the Waterman system pipeline (Iowa Booster), and the sampling station measuring outflow from the Linden and Evans Reservoirs (7 th & Chicago).
March 1998, two City of Loma Linda water system sampling points were added to the WSCP, including the Mountain View system pipeline (Mountain View Blend at Lawton) and the Richardson system pipeline (Richardson Blend).
June 1998, one City of Riverside irrigation water system sampling point (Gage Arlington) and one additional City of Loma Linda water system sampling point (Mountain View Blend at Timoteo) were added to the WSCP.
December 1998, the new COLL Richardson #3 well was added to WSCP Sampling Program.
May 1999, Sampling of Mountain View Blend at Timoteo was discontinued because it does not represent a blend sample of the Mountain View pipeline system.

TABLE 2

WSCP PRODUCTION WELL SAMPLING PROGRAM

HSI#	Well Name	Perchlorate	TCE
City of Loma Linda			
692	Mountain View #2	X	X
693	Richardson #1	X	X
694	Richardson #2	X	X
707	Richardson #3	X	X
City of Loma Linda Water System Sampling Points			
2967	Mountain View Blend - Lawton	X	X
2968	Richardson Blend	X	X
Southern California Edison			
554	SCE#2(AUX)	X	X
Loma Linda University			
267	LLUniv Anderson #2	X	
717	LLUniv Anderson #3	X	
City of Riverside (Gage System)			
252	Gage#26-1	X	X
258	Gage#27-1	X	X
259	Gage#27-2	X	X
260	Gage#29-1	X	X
219	Gage#29-2	X	X
220	Gage#29-3	X	X
218	Gage#30-1	X	X
214	Gage#31-1	X	X
215	Gage#46-1	X	X
253	Gage#51-1	X	X
216	Gage#56-1	X	X
257	Gage#66-1	X	X
644	Gage#92-1	X	X
641	Gage#92-2	X	X
642	Gage#92-3	X	X
City of Riverside (Waterman System)			
273	Hunt#6	X	
271	Hunt#10	X	
272	Hunt#11	X	
City of Riverside Water System Sampling Points			
2946	Iowa Booster (Waterman)	X	X
2947	Gage Delivery (Gage)	X	X
2948	7th & Chicago (Reservoir)	X	X
3018	Gage Arlington	X	
City of Redlands			
542	COR Church St	X	
2673	COR#38	X	
535	COR Mentone Acres	X	
29	COR Orange st	X	
74	CORRees	X	X

Notes:

TCE = Trichloroethene

Perchlorate analyzed using DHS Method (EPA 300.0 Modified)

TCE analyzed using EPA Method 502.2

TABLE 3

**WSCP PRODUCTION WELL SAMPLING PROGRAM
OCTOBER 1999 WELLS SAMPLED TWICE MONTHLY**

HSI#	Well Name	Perchlorate	TCE
City of Loma Linda			
692	Mountain View #2	X	
City of Riverside (Gage System)			
219	Gage #29-2	X	X
220	Gage #29-3	X	X
253	Gage #51-1	X	

Notes:

TCE = Trichloroethene

Perchlorate analyzed using DHS Method (EPA 300.0 Modified).

TCE analyzed using EPA Method 502.2.

TABLE 4
WSCP PRODUCTION WELL SAMPLING PROGRAM
OCTOBER 1999 DATA RESULTS

HSI#	Well Name	Sample Date	Perchlorate (µg/L) Del Mar	TCE (µg/L) Del Mar
City of Loma Linda				
692	Mountain View #2	10/4/99	11	0.72
692	MUN-757	10/4/99	11	0.78
692	Mountain View #2*	10/18/99	7.8	NA
692	MUN-760	10/18/99	7.2	NA
693	Richardson #1	10/4/99	ND(4)	ND(0.5)
693	Richardson #1*	10/18/99	ND(4)	NA
694	Richardson #2	10/4/99	6.3	ND(0.5)
707	Richardson #3	10/4/99	ND(4)	ND(0.5)
City of Loma Linda Water System Sampling Points				
2967	Mountain View Blend-Lawton	10/4/99	5.2	ND(0.5)
2968	Richardson Blend	10/4/99	ND(4)	ND(0.5)
Mountain View Power (Formerly Southern California Edison)				
554	SCE#2(AUX)	10/1/99	ND(4)	ND(0.5)
Loma Linda University				
267	LLUniv Anderson #2	10/4/99	ND(4)	NA
717	LLUniv Anderson #3	10/4/99	ND(4)	NA
City of Riverside (Gage System)				
252	Gage#26-1 ^b	10/1/99	8.0	10
258	Gage#27-1 ^b	10/1/99	5.5	6.3
259	Gage#27-2	10/1/99	6.7	1.1
260	Gage#29-1	10/1/99	6.6	ND(0.5)
219	Gage#29-2	NS	NS	NS
219	Gage 29-2*	10/15/99	20	4.0
219	MUN-759	10/15/99	20	NA
220	Gage#29-3	NS	NS	NS
220	Gage#29-3*	NS	NS	NS
218	Gage#30-1	10/1/99	ND(4)	ND(0.5)
214	Gage#31-1	10/1/99	ND(4)	ND(0.5)
215	Gage#46-1	10/1/99	ND(4)	ND(0.5)
253	Gage#51-1	10/1/99	13	ND(0.5)
253	MUN-756	10/1/99	13	ND(0.5)
253	Gage#51-1*	10/15/99	15	NA
216	Gage#56-1	10/1/99	ND(4)	ND(0.5)
257	Gage#66-1	10/1/99	8.6	ND(0.5)
644	Gage#92-1	10/1/99	10	0.93
641	Gage#92-2	10/1/99	ND(4)	ND(0.5)
642	Gage#92-3	10/1/99	ND(4)	ND(0.5)
City of Riverside (Waterman System)				
273	Hunt#6	NS	NS	NA
271	Hunt#10	NS	NS	NA
272	Hunt#11	NS	NS	NA
City of Riverside Water System Sampling Points				
2946	Iowa Booster (Waterman)	10/5/99	ND(4)	ND(0.5)
2946	MUN-758	10/5/99	ND(4)	ND(0.5)
2947	Gage Delivery (Gage)	10/5/99	4.3	ND(0.5)
2948	7th & Chicago (Reservoir)	10/5/99	ND(4)	ND(0.5)
3018	Gage Arlington	10/5/99	5.1	NA
City of Redlands				
542	COR Church St ^a	10/1/99	ND(4)	NA
2673	COR#38 ^a	10/4/99	ND(4)	NA
535	COR Mentone Acres ^a	10/4/99	ND(4)	NA
29	COR Orange St ^a	NS	NS	NA
74	COR Rees	10/1/99	ND(4)	ND(0.5)

Notes:

* = Twice-monthly sampling result
 ** = Confirmation sampling results
 * = Well sampled on quarterly basis, if active
 ND(4) = Not detected at the specified limit
 MUN = Duplicate sample collected from the well listed directly above
 NA = Not Analyzed
 NS = Not Sampled

TCE = Trichloroethene
 Perchlorate analyzed using DHS Method (EPA 300.0 Modified)
 TCE analyzed using EPA Method 502.2
 b = Gage 26-1 and Gage 27-1 are currently being treated for TCE

TABLE 5

**SUMMARY OF WATER LEVEL MEASUREMENTS
OCTOBER 1999 SAMPLING EVENT**

HSI#	Well Name	Measure Date	Depth to Water	Measuring Point Elevation	Groundwater Elevation	Comments
CITY OF LOMA LINDA						
692	Mountain View #2	10/04/99	176	1085	909	Static
693	Richardson #1	10/04/99	177	1077	900	Pumping
694	Richardson #2	10/04/99	183	1078	895	Pumping
707	Richardson #3	10/04/99	167	1085	918	Static
Southern California Edison						
554	SCE#2(AUX)	NM	NM	1100.00	NM	Pumping
Loma Linda University						
267	LLUniv Anderson #2	NM	NM	1075	NM	Pumping
717	LLUniv Anderson #3	NM	NM	1070	NM	Pumping
City of Riverside (Gage System)						
252	Gage#26-1	09/28/99	99.4	1045.33	945.93	Pumping
258	Gage#27-1	09/28/99	95.5	1044.64	949.14	Pumping
259	Gage#27-2	09/28/99	96.9	1044.64	947.74	Pumping
260	Gage#29-1	09/28/99	105.0	1044.43	939.43	Pumping
219	Gage#29-2	09/28/99	72.0	1046.31	974.31	Static
220	Gage#29-3	09/28/99	72.2	1048.75	976.55	Static
218	Gage#30-1	09/28/99	194.7	1054.17	859.47	Pumping
214	Gage#31-1	09/28/99	NM	1054.64	NM	NM
215	Gage#46-1	09/28/99	NM	1065.50	NM	NM
253	Gage#51-1	09/28/99	192.5	1044.64	852.14	Pumping
216	Gage#56-1	09/28/99	179.8	1065.50	885.70	Pumping
257	Gage#66-1	09/28/99	145.4	1044.85	899.45	Pumping
644	Gage#92-1	09/28/99	169.2	1047.78	878.58	Pumping
641	Gage#92-2	09/28/99	189.4	1053.38	863.98	Pumping
642	Gage#92-3	09/28/99	190.6	1058.78	868.18	Pumping
City of Riverside (Waterman System)						
273	Hunt#6	NM	NM	1015.5	NM	Pumping
271	Hunt#10	NM	NM	1017	NM	Pumping
272	Hunt#11	NM	NM	1015.7	NM	Pumping
City of Redlands						
542	COR Church St	Oct-99	185.0	1344.8	1159.8	Pumping
2673	COR#38	Oct-99	102.0	NA	NA	Pumping
535	COR Mentone Acres	Oct-99	207.0	1506.4	1299.4	Pumping
29	COR Orange st	Oct-99	123.0	1282	1159.0	Static
74	COR Rees	Oct-99	226.0	1490	1264.0	Pumping

Notes:

All measurements reported in feet below measuring point (ft-bmp)

Water level measurements for all City of Loma Linda, City of Riverside, and City of Redlands wells were obtained by purveyor personnel.


Elevations given in feet above mean sea level (ft-msl)

NM=Not measured

NA=Data not available

Static water levels were allowed to recover a minimum of 30 minutes to obtain a static water level measurement

FIGURES



EXPLANATION

Wells Currently Sampled Under the Existing WSCP Sampling Program

12 TCE Results (ug/L)

Quarterly Sampling Results

Well Currently Being Traced for TCE

Approximate TCE Plume Location 5 ug/L (1998 Interpretation of Redlands Plume)

Approximate TCE Plume Location 5 ug/L (Earth Tech June 1998 Interpretation of Norton ARB Plume)

Project 5 ug/L TCE Contour in Hydrostratigraphic Unit 2

Project 5 ug/L TCE Contour in Hydrostratigraphic Unit 4

ND(0.5) Not Detected at Indicated Detection Limit

NS Not Sampled

NA Not Analyzed

* Twice-Monthly Sampling Results

** Confirmation Sampling Results

ND(0.5) C.O.L.L. Mountain View Blend at Location

ND(0.5) C.O.L.L. Richardson Blend

ND(0.5) RV. Iowa Booster (Waterman)

ND(0.5) RV. Gage Delivery (Gage)

ND(0.5) RV. 7th + Chicago (Reservoir)

NA Gage Arlington

TITLE: WSCP Production Well Sampling Program

LOCATION: LOCKHEED MARTIN REDLANDS, CALIFORNIA

CHECKED: Roy Morquim

DATE: 11/05/99

1


SCALE IN FEET

0 2600' 5200'

HSI GEOTRANS

DATE: 11/05/99

1



Footnote:

* If, at a specific well, blending is occurring to provide acceptable water for compounds other than TCE, then no corrective action may be necessary as long as the concentration of TCE is less than 5.0 $\mu\text{g/L}$ in the finished water.

TCE MCL = 5 $\mu\text{g/L}$ (California Regulations, Title 22, Division 4, Chapter 15, Section 64444)

TITLE: Decision Matrix for Sampling of Production Wells for TCE from the Crafton-Redlands Plume

LOCATION: LOCKHEED MARTIN
REDLANDS, CALIFORNIA




**HSI
GEOTRANS**
A TETRA TECH COMPANY

CHECKED:	Ron Bruns
DRAFTED:	Hector Magaña
PROJ.:	N948-101
DATE:	09/25/98


FIGURE:

3



Footnote:

Perchlorate Provisional Action Level (PAL) = 18 µg/L (California Department of Health Services, May 1997)

TITLE: Decision Matrix for Sampling Production Wells for Perchlorate			
LOCATION: LOCKHEED MARTIN REDLANDS, CALIFORNIA			
 HSI GEOTRANS A TETRA TECH COMPANY	CHECKED:	Ron Bruns	FIGURE: 4
	DRAFTED:	Hector Magaña	
	PROJ.:	C948-101	
	DATE:	09/25/98	

ATTACHMENT A
GEOLIS FIELD FORMS

ATTACHMENT A

GEOLIS FIELD FORMS
(Available Upon Request)

ATTACHMENT B

**CHAIN-OF-CUSTODY RECORDS AND
LABORATORY DATA SHEETS
QUALITY ASSURANCE/QUALITY CONTROL DOCUMENTATION**

ATTACHMENT B

**CHAIN-OF-CUSTODY RECORDS AND
LABORATORY DATA SHEETS AND LEVEL III MODIFIED
QUALITY ASSURANCE/QUALITY CONTROL DOCUMENTATION
(Available Upon Request)**